

## **SHEDS AND WORKSHOPS**

HANDMADE IN WORCESTERSHIRE FOR OVER 45 YEARS









Bewdley Apex	page 4 - 5
Bewdley Pent	page 4 - 5
Bewdley Corner	page 4 - 5
Tidystore	page 6 - 7
Logstore	page 6 - 7
Log Tidystore	page 6 - 7
Solar	page 6 - 7
Malvern Heavy Duty Apex	page 8 - 11
Malvern Heavy Duty Reverse Apex	page 12 - 15
Malvern Heavy Duty Pent Solar	page 16 - 17
Specifications	page 18 - 19

# The Malvern Collection...

Making the most of the space in your garden

## Welcome to The Malvern Collection Award winning handmade quality garden buildings for over 45 years

In the early 1970s, we started to design and produce garden buildings at our factory in Worcestershire. All of our buildings are made to order and handcrafted using traditional carpentry techniques by skilled craftsmen, which are then delivered and installed by our own teams of experienced fitters across the country.

The Malvern Collection design and make a wide collection of buildings, from the humble shed right through to fully lined, insulated and double glazed garden rooms and offices designed for all year round use.

We offer a wide selection of optional extras which enable you to create your ideal garden room to meet not only your practical needs but also your own personal taste.

Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry, where buildings can be coated with a highly durable and weather resistant, low maintenance paint and primer system, which will protect and enhance your building.

At Malvern, we use only the highest quality materials from sustainable sources. Our redwood buildings are constructed using kiln dried slow grown pine from Sweden's Northern sawmills and our cedar buildings are constructed using Canadian Western Red kiln dried cedar.

We strongly recommend that you visit one of our display sites, where you can examine for yourself the quality, design and materials used in the manufacture of our buildings. Experienced staff will be on hand to discuss your individual requirements.

Thank you for taking the time to look through our brochure.











- 13mm redwood cladding
- All ridge heights under 2.5m
- Single door
- Opening window(s) (quantity dependant on size and model)
- Framed ledged and braced door
- Lockable rimlock and handle door catch
- 3 door hinges per door for extra strength
- Turn button top and bottom of door
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- High quality timber treatment applied throughout prior to delivery (redwood models only)
- A wide range of sizes to choose from






- 13mm pressure treated redwood cladding
- Toughened glass
- Black or red polyester mineral felt
- Double doors on 8' wide models and above (excluding corner shed)
- · Additional fixed and opening windows
- Mezzanine Level 2'6" (0.76m) deep for high level storage (Apex only)
- Pent sheds have four possible door positions: Left of front, right of front, left hand end and right hand end
- · Workbenches and shelves
- A set of pressure treated floor bearers

## **Bewdley Apex**


Size d x w	Redwood	Pressure Treated	Toughened Glass	Floor Bearers	Installation	No. of Windows
4' x 4'	565	645	50	75	120	1
6' x 4'	705	830	50	80	130	1
8' x 4'	820	955	50	100	140	1
7' x 5'	850	980	50	100	140	1
6' x 6'	850	980	50	110	140	1
8' x 6'	970	1,120	50	115	145	1
10' x 6'	1,195	1,380	75	120	175	2
8' x 8'	1,240	1,440	50	130	180	1
10' x 8'	1,555	1,790	75	140	215	2
12' x 8'	1,770	2,035	75	160	255	2



Width	Ridge Height	Eaves Height
4' (1.22m)	2.05m	1.73m
5' (1.52m)	2.12m	1.73m
6' (1.83m)	2.19m	1.73m
8' (2.44m)	2.31m	1.73m
Cinala Dana	4' wide	0.66m wide
Single Door Other widths		0.89m wide
Optional Double	1.20m wide	

## **Bewdley Pent**


Size w x d	Redwood	Pressure Treated	Toughened Glass	Floor Bearers	Installation
6' x 4'	760	875	50	80	130
8' x 4'	880	995	50	100	140
7' x 5'	890	1,030	50	100	140
8' x 6'	990	1,135	50	115	145
10' x 6'	1,270	1,470	50	120	175
8' x 8'	1,305	1,520	50	130	180
10' x 8'	1,615	1,850	50	140	215
12' x 8'	1,840	2,130	50	160	255



Depth	Front Height	Rear Height
4' (1.22m)	2.12m	1.86m
5' (1.52m)	2.12m	1.86m
6' (1.83m)	2.12m	1.86m
8' (2.44m)	2.21m	1.86m
Cinale Deer	6' wide	0.66m wide
Single Door	Other widths	0.89m wide

## **Bewdley Corner**

Size w x d	Redwoo	d		ressure reated	Toughened Glass	Floor	Bearers	Instal	lation
7' x 7'	1,330		1,530		75	125		145	
8' x 8'	1,555			1,790	75	130		180	
Extra Fixed Window	Redwood Pressure Treated	40 45		Extra opening window	Redwood Pressure Treated	80 85	Double upgrade 8' wide model	on	130
				4'	5'		6'	8	3'
Mezzanine Shelf				160	195	2	230	2	95



15" Wide Workbench 24" Wide Workbench

Front Height	Rear Height
2.29m	1.86m
Single Door	0.89m wide
£20 per running ft	
£25 per running ft	
£30 per running ft	









# **Tidystore, Logstore and Log Tidystore Features**

- 13mm pressure treated redwood cladding (Tidystore is also available in redwood)
- Tongue & groove timber roof and floor
- Green polyester mineral felt
- Double doors on the 6' wide Tidystore and single door on the two other Tidystores
- Padbolt door catch on the Tidystore
- Slatted floor and sides on the Logstore to aid ventilation
- Combination of the Logstore and the Tidystore to create the Log Tidystore

### **Options**

- Pressure treated slatted roof
- Black or red polyester mineral felt
- Pressure treated floor bearers

### **Solar Features**

- 19mm heavy duty redwood cladding
- Heavy duty framework throughout
- Heavy duty floor
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced door
- 3 heavy duty hinges per door
- Heavy duty staging under windows
- One opening vent window to the front
- Side windows
- 4mm toughened glass
- Black ironmongery
- Front roof overhang
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- · Six sizes to choose from

- A choice of 19mm heavy duty pressure treated or 12mm cedar cladding
- Black or red polyester mineral felt
- Chrome style ironmongery
- Stable door
- A set of pressure treated floor bearers

## **Tidystore**

Size w x d	Redwood	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' x 3'	490	565	130	50	60
4' x 3'	585	685	160	65	80
6' x 3'	735	845	225	70	115

## Logstore

Size w x d	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' x 3'	450	130	50	45
4' x 3'	520	160	65	60
6' x 3'	685	225	70	75

## **Log Tidystore**


Size w x d	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' Log x 3' Tidy x 3'	880	225	70	90
3' Log x 6' Tidy x 3'	1,180	340	110	120
6' Log x 3' Tidy x 3'	1,135	340	110	120
6' Log x 6' Tidy x 3'	1,385	430	140	130

## Solar


Size w x d	Redwood	Pressure Treated	Cedar	Floor Bearers	Installation
6' x 6'	2,675	3,065	4,000	115	175
8' x 6'	2,955	3,405	4,415	120	190
7' x 7'	3,025	3,475	4,510	125	190
8' x 7'	3,285	3,745	4,865	125	200
8' x 8'	3,525	4,030	5,135	130	215
10' x 8'	4,225	4,845	6,080	140	320

## **Solar Options**

	Redwood	Pressure Treated	Cedar				
Additional Opening Window	150	155	205				
9" Wide Shelf	£20 per running ft						
15" Wide Workbench	£25 per running ft						
24" Wide Workbench		£30 per running ft					



Tidystore Single Door	0.62m
Tidystore Double Doors	1.22m
Front Height	Rear Height
1.79m	1.52m



Solar Single Door	0.89m wide
Front Height	Rear Height
2.29m	1.98m
















- 19mm heavy duty redwood cladding
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Single glazed 4mm toughened glass
  Black or chrome ironmongery, must be specified on the order
  9" roof overhang above doors

- Joinery made fixed and lockable opening windows
  High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- 19mm heavy duty pressure treated, 23mm heavy duty pressure treated barnstyle or 12mm cedar cladding
- Higher pitch roof
- Coloured painted finish wide selection of colours
- Black or red polyester mineral felt
- Bitumen mineral roof felt tiles, available in green, red or black
- Onduline roof
- Pressure treated slatted roof
- Slate effect roof tiles
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Double glazing
- Mezzanine Level 2'6" (760mm) deep for high level storage Tongue and groove timber lining plus insulation
- Internal partition walls
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Chrome style ironmongery
- Additional 3ft Logstore to side
- Integral open sided area
- Composite decking upgrade to open area
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- Heavy duty workbenches and shelves
- Double door upgrade
- No roof overhang over doors



		Externa	I	Internal (unlined)				
Width	Ric	lge	Eaves	Rid	Гашаа			
	Low	High	Eaves	Low	High	Eaves		
6' (1.83m)	2.33m	2.51m		2.20m	2.43m	0.00		
8' (2.44m)	2.41m	2.65m	0.04	2.29m	2.57m			
10' (3.05m)	2.43m	2.79m	2.04m	2.29m	2.71m	2.02m		
12' (3.66m)	2.49m	2.94m		2.35m	2.85m			

### **Malvern Heavy Duty Apex**

				•											
Size d x w	19mm Heavy Duty Redwood	19mm Heavy Duty Pressure Treated	23mm Heavy Duty Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	Bitumen Felt Roof Tiles	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Double Glazing	Floor Bearers	Installation
6' x 4'	1,570	1,725	1,725	2,660	1,100	1,050	275	300	320	530	715	800	100	80	145
7' x 5'	1,870	2,060	2,060	3,175	1,280	1,280	405	430	470	765	1,030	1,155	100	100	160
4' x 6'	1,595	1,755	1,755	2,695	1,100	1,050	275	300	345	535	750	840	100	90	180
6' x 6'	1,910	2,100	2,100	3,285	1,300	1,300	405	430	495	790	1,100	1,235	100	110	195
8' x 6'	2,250	2,475	2,475	4,030	1,480	1,530	530	570	635	1,050	1,450	1,625	195	115	205
10' x 6'	2,825	3,105	3,105	4,785	1,670	1,795	660	715	770	1,330	1,800	2,025	195	120	235
12' x 6'	3,245	3,565	3,565	5,380	1,850	2,070	805	870	920	1,595	2,150	2,415	295	125	245
4' x 8'	1,970	2,170	2,170	3,550	1,340	1,335	405	430	495	810	1,175	1,315	100	110	225
6' x 8'	2,445	2,690	2,690	4,240	1,530	1,600	545	585	635	1,050	1,450	1,625	100	120	260
8' x 8'	2,960	3,260	3,260	4,980	1,715	1,840	685	735	760	1,280	1,720	1,930	195	130	290
10' x 8'	3,525	3,875	3,875	5,760	1,900	2,130	840	905	920	1,620	2,145	2,410	195	140	315
12' x 8'	4,065	4,475	4,475	6,555	2,095	2,385	995	1,070	1,070	1,910	2,570	2,885	295	160	340
14' x 8'	4,520	4,975	4,975	7,255	2,270	2,670	1,145	1,230	1,250	2,220	2,985	3,350	390	190	375
16' x 8'	5,050	5,555	5,555	8,160	2,445	2,955	1,280	1,380	1,465	2,520	3,405	3,825	390	205	405
10' x 10'	4,380	4,820	4,820	6,695	2,185	2,450	990	1,065	1,070	1,875	2,500	2,810	195	190	460
12' x 10'	5,010	5,510	5,510	7,635	2,330	2,735	1,175	1,260	1,280	2,270	2,990	3,320	295	205	495
14' x 10'	5,590	6,145	6,145	8,580	2,520	3,180	1,355	1,460	1,465	2,495	3,485	3,870	390	230	540
16' x 10'	6,205	6,825	6,825	9,520	2,715	3,325	1,555	1,670	1,685	2,885	3,975	4,410	390	255	605
18' x 10'	6,860	7,545	7,545	10,425	2,995	3,575	1,750	1,880	1,890	3,250	4,460	4,950	390	270	650
12' x 12'	5,745	6,320	6,320	8,790	2,560	3,180	1,340	1,440	1,465	2,495	3,425	3,855	295	240	535
14' x 12'	6,435	7,080	7,080	9,800	2,765	3,365	1,600	1,715	1,715	2,910	3,990	4,385	390	265	570
16' x 12'	7,115	7,825	7,825	10,845	2,995	3,720	1,815	1,950	1,970	3,285	4,555	5,010	390	300	640
18' x 12'	7,740	8,515	8,515	11,880	3,220	4,035	2,015	2,160	2,270	3,675	5,125	5,635	390	320	675
20' x 12'	8,480	9,330	9,330	12,835	3,320	4,330	2,230	2,400	2,520	4,100	5,685	6,255	390	345	730

<sup>•</sup> FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

### **Malvern Heavy Duty Apex Shed Door Options**

	Redwood			ssure Tre Barnsty		Cedar				
Single Malvern Door or Double Doo in lieu of single	r	330			380			495		
Additional Window	S	Single Glazed			Double Glazed					
Standard Redwood					110			205		
Standard Pressure Treated					115			215		
Standard Cedar					165			265		
Georgian Redwood	215			385						
Georgian Pressure Treated					220			390		
Georgian Cedar					305			475		
Stable Door Conversion in lieu of sta	ndard			145						
Hook & Band Hinges				50 per door						
Security Pack for Doors						1	90			
Malvern Apex Depth	4'	6'	8'	10'	12'	14'	16'	18'	20'	
Georgian Single Glazed Windows	140	140	275	275	415	550	550	550	550	
Georgian Double Glazed Windows	360	360	725	725	1,085	1,450	1,450	1,450	1,450	
Additional 3' Logstore	335	430	550	665	775	875	1,000	1,125	1,250	

### **Malvern Heavy Duty Apex Window Options**

Additional Window	Fixed or	Security	Opening					
Additional Willdow	Single Glazed	Double Glazed	Single Glazed	Double Glazed				
Standard Redwood	110	205	150	245				
Standard Pressure Treated	115	215	155	255				
Standard Cedar	165	265	205	305				
Georgian Redwood	215	385	255	425				
Georgian Pressure Treated	220	390	260	430				
Georgian Cedar	305	475	345	520				
Other Options	6'	8'	10'	12'				
Redwood Partition	265	370	550	695				
Pressure Treated Partition	320	450	665	850				
Cedar Partition	615	850	1,180	1,485				
Mezzanine Shelf	230	295	360	430				
9" Wide Shelf		£20 per r	running ft					
15" Wide Workbench		£25 per r	running ft					
24" Wide Workbench	£30 per running ft							
Guttering per side		£15 per r	running ft					
Composite Decking Upgrade		£20 per	square ft					














- 19mm heavy duty redwood cladding
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door 3 lever mortice lock

- 3 heavy duty hinges per door Single glazed 4mm toughened glass Black or chrome ironmongery, must be specified on the order
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- 19mm heavy duty pressure treated, 23mm heavy duty pressure treated barnstyle or 12mm cedar cladding
- Higher pitch roof
- Coloured painted finish wide selection of colours
- Black or red polyester mineral felt
- Bitumen mineral roof felt tiles, available in green, red or black
- Onduline roof
- Pressure treated slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Slate effect roof tiles
- Double glazing
- Mezzanine Level 2'6" (760mm) deep for high level storage
- Tongue and groove timber lining plus insulation
- Internal partition walls
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Chrome style ironmongery
- Integral Tidystore, 3ft wide unless specified otherwise
- Integral open sided area
- Composite decking upgrade to open area
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- Heavy duty workbenches and shelves
- Double door upgrade



		Externa	Internal (unlined)				
Depth	Ric	lge	ge _		lge	<b></b>	
	Low	High	Eaves	Low	High	Eaves	
6' (1.83m)	2.33m	2.51m		2.20m	2.43m	2.02m	
8' (2.44m)	2.41m	2.69m	0.04m	2.29m	2.57m		
10' (3.05m)	2.43m	2.79m	2.04m	2.29m	2.71m		
12' (3.66m)	2.49m	2.94m		2.35m	2.85m		

### **Malvern Heavy Duty Reverse Apex**

Size w x d	19mm Heavy Duty Redwood	19mm Heavy Duty Pressure Treated	23mm Heavy Duty Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	Bitumen Felt Roof Tiles	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Double Glazing	Floor Bearers	Installation
8' x 6'	2,140	2,350	2,350	3,865	1,480	1,530	530	570	635	1,050	1,450	1,625	100	115	205
10' x 6'	2,825	3,105	3,105	4,785	1,670	1,795	660	715	770	1,330	1,800	2,025	195	120	235
12' x 6'	3,135	3,445	3,445	5,215	1,850	2,070	805	870	920	1,595	2,150	2,415	195	125	245
14' x 6'	3,550	3,905	3,905	5,765	2,065	2,295	920	990	1,070	1,850	2,500	2,805	295	130	275
16' x 6'	3,960	4,360	4,360	6,325	2,290	2,535	1,070	1,145	1,235	2,100	2,850	3,205	295	140	300
10' x 8'	3,525	3,875	3,875	5,760	1,900	2,130	840	905	920	1,620	2,145	2,410	195	140	315
12' x 8'	3,955	4,355	4,355	6,390	2,095	2,385	995	1,070	1,070	1,910	2,570	2,885	295	160	340
14' x 8'	4,410	4,855	4,855	7,090	2,270	2,670	1,145	1,230	1,250	2,220	2,985	3,350	295	190	375
16' x 8'	4,940	5,435	5,435	7,995	2,445	2,955	1,280	1,380	1,465	2,520	3,405	3,825	295	205	405
18' x 8'	5,440	5,985	5,985	8,625	2,645	3,210	1,485	1,595	1,670	2,850	3,825	4,290	295	230	430
20' x 8'	5,935	6,525	6,525	9,260	2,845	3,475	1,640	1,760	1,770	3,175	4,240	4,760	295	255	465
10' x 10'	4,380	4,820	4,820	6,695	2,185	2,450	990	1,065	1,070	1,875	2,500	2,810	195	190	460
12' x 10'	4,900	5,390	5,390	7,470	2,330	2,735	1,175	1,260	1,280	2,270	2,990	3,320	295	205	495
14' x 10'	5,480	6,025	6,025	8,410	2,520	3,180	1,355	1,460	1,465	2,495	3,485	3,870	295	230	540
16' x 10'	6,095	6,705	6,705	9,355	2,715	3,325	1,555	1,670	1,685	2,885	3,975	4,410	295	255	605
18' x 10'	6,750	7,425	7,425	10,260	2,995	3,575	1,750	1,880	1,890	3,250	4,460	4,950	295	270	650
20' x 10'	7,360	8,095	8,095	11,155	3,220	3,790	1,930	2,075	2,100	3,595	4,950	5,495	295	300	705
12' x 12'	5,635	6,200	6,200	8,625	2,560	3,180	1,340	1,440	1,465	2,495	3,425	3,855	195	240	535
14' x 12'	6,325	6,960	6,960	9,630	2,765	3,365	1,600	1,715	1,715	2,910	3,990	4,385	295	265	570
16' x 12'	7,005	7,700	7,700	10,680	2,995	3,720	1,815	1,950	1,970	3,285	4,555	5,010	295	300	640
18' x 12'	7,630	8,390	8,390	11,715	3,220	4,035	2,015	2,160	2,270	3,675	5,125	5,635	295	320	675
20' x 12'	8,370	9,210	9,210	12,665	3,320	4,330	2,230	2,400	2,520	4,100	5,685	6,255	295	345	730

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION


				ood	Pressure Tr	arnstyle	Cedar	
Single Malvern Door or Double Door	in lieu of si	ngle	330	)	380			495
Additional Window	in Door				Single Glaze	ed	Double	Glazed
Standard Redwood					110		20	5
Standard Pressure Treated					115		21	5
Standard Cedar					165		26	5
Georgian Redwood					215		38	5
Georgian Pressure Treated					220 390			0
Georgian Cedar					305 475			5
Stable Door Conversion in lieu of standard						145		
Hook & Band Hinges				50 per door				
Security Pack for Doors				190				
Malvern Apex Reverse Width	8'	10	1	12'	14'	16'	18'	20'
Georgian Single Glazed Windows	140	275	5	275	415	415	415	415
Georgian Double Glazed Windows	360	725	5	725	1,085	1,085	1,085	1,085
Malvern Apex Reverse Depth					6'	8'	10'	12'
	Redwood	d			230	305	380	445
Additional Tidystore	Pressure	Treate	d/Barns	style	270	355	445	510
	Cedar				610	820	1,065	1,250

## Malvern Heavy Duty Reverse Apex Door Options Malvern Heavy Duty Reverse Apex Window Options

Additional Window	Fixed or	Security	Opening					
Additional Window	Single Glazed	Double Glazed	Single Glazed	Double Glazed				
Standard Redwood	110	205	150	245				
Standard Pressure Treated	115	215	155	255				
Standard Cedar	165	265	205	305				
Georgian Redwood	215	385	255	425				
Georgian Pressure Treated	220	390	260	430				
Georgian Cedar	305	475	345	520				
Other Options	6'	81	10'	12'				
Redwood Partition	265	370	550	695				
Pressure Treated Partition	320	450	665	850				
Cedar Partition	615	850	1,180	1,485				
Mezzanine Shelf	230	295	360	430				
9" Wide Shelf		£20 per i	running ft					
15" Wide Workbench		£25 per i	running ft					
24" Wide Workbench	£30 per running ft							
Guttering per side		£15 per i	running ft					
Composite Decking Upgrade		£20 per	square ft					







- 19mm heavy duty redwood cladding
- Front height under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity and strength
- · Heavy duty floor
- Pressure treated floor joists
- Tongue & groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws fitted to hinges
- Single glazed 4mm toughened glass
- Black or chrome ironmongery, must be specified on the order
- 9" roof overhang to front
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- 19mm heavy duty pressure treated, 23mm heavy duty pressure treated barnstyle or 12mm cedar cladding
- Coloured painted finish wide selection of colours
- Heavy duty black or red polyester mineral felt
- EPDM rubber roof
- Tongue and groove lining plus insulation
- Internal partition wall
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Double glazing
- Chrome style ironmongery
- Integral Tidystore conversion
- · Integral open sided area
- Composite decking upgrade to open area
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- Heavy duty workbenches and shelves
- Double door upgrade



Depth	Front Height	Rear Height				
6' (1.83m)	2.22m	2.02m				
8' (2.44m)	2.22m	2.02m				
10' (3.05m)	2.24m	2.04m				
Single Door	0.89m wide					

## **Malvern Heavy Duty Pent**

Size w x d	19mm Heavy Duty Redwood	19mm Heavy Duty Pressure Treated	23mm Heavy Duty Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	EPDM Rubber Roof	Double Glazing	Floor Bearers	Installation
6' x 4'	1,460	1,605	1,605	2,495	1,100	1,050	175	100	80	145
7' x 5'	1,760	1,940	1,940	3,005	1,280	1,280	245	100	100	160
8' x 6'	2,140	2,350	2,350	3,865	1,480	1,530	340	100	115	205
10' x 6'	2,825	3,105	3,105	4,785	1,670	1,795	420	195	120	235
12' x 6'	3,135	3,445	3,445	5,215	1,850	2,070	495	195	125	245
10' x 8'	3,525	3,875	3,875	5,760	1,900	2,130	560	195	140	315
12' x 8'	3,955	4,355	4,355	6,390	2,095	2,385	665	295	160	340
14' x 8'	4,410	4,855	4,855	7,090	2,270	2,670	775	295	190	375
16' x 8'	4,940	5,435	5,435	7,995	2,445	2,955	890	295	205	405
10' x 10'	4,380	4,820	4,820	6,695	2,185	2,450	695	195	190	460
12' x 10'	4,900	5,390	5,390	7,470	2,330	2,735	835	295	205	495
14' x 10'	5,480	6,025	6,025	8,410	2,520	3,180	970	295	230	540
16' x 10'	6,095	6,705	6,705	9,355	2,715	3,325	1,110	295	255	605

## **Malvern Heavy Duty Pent Options**

	Redwood		Pressure Treate Barnstyle	d/	Cedar	
Single Malvern Door or Double Door in lieu of single	330		380		495	
Additional Window		Single Glazed	Single Glazed Double Glaze			
Standard Redwood			110		205	
Standard Pressure Treated			115	115 215		
Standard Cedar			165	165 265		
Georgian Redwood			215	215 3		
Georgian Pressure Treated			220		390	
Georgian Cedar		305		475		
Stable Door Conversion in lieu of star	ndard		145			
Hook & Band Hinges			50 per door			
Security Pack for Doors			190			
Malvern Pent Width	81	10'	12'	14'	16'	
Georgian Single Glazed Windows	140	275	275	415	415	
Georgian Double Glazed Windows	360	725	725	1,085	1,085	
Malvern Pent Depth			6'	8'	10'	
	Redwood		230	305	380	
Additional Tidystore	Pressure Treated/Barnstyle			355	445	
	Cedar		610	820	1,065	

## **Malvern Heavy Duty Pent Window Options**

Additional Window	Fixed or Security			Opening			
Additional Window	Single Glazed	Double Glazed		Single Glazed		Double Glazed	
Standard Redwood	110	205		150		245	
Standard Pressure Treated	115	215		155		255	
Standard Cedar	165	265		205		305	
Georgian Redwood	215	385		255		425	
Georgian Pressure Treated	220	390		260		430	
Georgian Cedar	305 475		345		520		
Other Options	6'	3		3'		10'	
Redwood Partition	265		370			550	
Pressure Treated Partition	320		450		665		
Cedar Partition	615		850		1,180		
Mezzanine Shelf	230		295		360		
9" Wide Shelf	£20 per running ft						
15" Wide Workbench	£25 per running ft						
24" Wide Workbench	£30 per running ft						
Guttering per side	£15 per running ft						
Composite Decking Upgrade	£20 per square ft						

### **Malvern Heavy Duty Options available**

#### **Coloured Painted Finish**

A comprehensive paint system is applied prior to the building leaving the factory. The paint system comprises of an initial undercoat and a further top coat of your chosen colour.

#### **Higher Pitch Roof**

For those that require extra internal height.

#### **Tongue & Groove lining and insulation**

Building is internally lined with foil back bubble insulation and covered with redwood tongue and groove matchboard.

#### **Bitumen Felt Tiles**

Roof is covered with tile effect heavy duty felt tiles.

#### **Onduline Roof**

Roof is covered with onduline corrugated sheets with roofing felt underneath.

#### **EPDM Rubber Roof**

A maintenance free synthetic rubber membrane covering the roof as an alternative to roofing felt.

#### **Slatted Roof**

An aesthetic roof made with featheredged pressure treated redwood or Western Red cedar boards to enhance the appearance of your building and provide added protection to the roofing felt beneath.

#### Shingle Roof

Western Red cedar shingles fixed to pressure treated joists to enhance the appearance of your building and provide added protection to the roofing felt beneath.

#### Slate Effect Roof Tile

Slate effect is a synthetic roof tile which emulates the appearance of natural slates and has a long life span with no maintenance required.

#### Mezzanine

The optional upgrade of the Mezzanine Level, is a high level storage area of 2'6" (760mm) deep, width dependant on size of shed. It can be used for storage or other purposes, easily accessible and is an area in the roof which is usually not utilised, making the most of the space.

#### Guttering

Guttering is available in a choice of three colours.

#### **Integral Open Sided Area**

Malvern Heavy Duty's can be divided into rooms with an open space decking area. Timber decking is used for this open area, with composite decking available as an upgrade. When choosing the open side option heavy duty flooring must be included for the whole of the building footprint.

#### **Composite Decking**

A high density, heavy duty and weather resistant wood composite.

Solar					
Door Opening	890mm x 1750mm				
Redwood & Pressure Treated Heavy Duty Cladding	19mm				
Cedar Cladding	12mm				
Framing	44mm				
Heavy Duty Floor Boards	19mm				
Floor Joists	44mm				

Malvern Heavy Duty Door Openings (w x h)						
Apex (door in end)	890mm x 1850mm					
Reverse Apex and Pent Door	890mm x 1750mm					
Apex 6' Double Doors	1770mm x 1850mm					
Apex 4'6" Double Doors	1370mm x 1850mm					
Reverse Apex and Pent 6' Double Doors	1770mm x 1750mm					
Reverse Apex and Pent 4'6" Double Doors	1370mm x 1750mm					

Malvern Heavy Duty					
Redwood & Pressure Treated Heavy Duty Cladding	19mm				
Barnstyle Cladding	8-23mm				
Cedar Cladding	12mm				
Framing	44mm				
Matchboard Lining	12mm				
Heavy Duty Floor Boards	19mm				
Floor Joists	44mm				

### **Important Points to note:**

All of our Garden Rooms come with a guarantee against rot and decay. Ten years for cedar, three years for pressure treated redwood and two years for redwood. All other workmanship and materials are guaranteed to be free from defects and faulty installation for a period of 12 months. All of our guarantees are subject to the buildings being maintained in line with our recommendations.

We would like to remind customers that timber is an organic product, subject to naturally occurring changes that result from different environmental conditions i.e. changes in colour, surface splits and shrinkage. We cannot accept responsibility for these natural changes.

All base work is the responsibility of the customer, as is the safe securing of the building once installed. We require a level solid base, either paving slabs, decking or concrete upon which to install your building. In the event of a base failure, it is the customers responsibility to accept delivery of the building and store appropriately.

Please allow as much room as possible around the building for our fitters to work during installation, a minimum of 18". If this is not possible please contact the office to discuss.

Our installers will need clear access to carry building sections from the vehicle to your prepared base, with no height restrictions or tight, sharp corners to negotiate.

Our installers cannot lift sections over 4' in height or over buildings such as garages. If the only access is through the house, a straight run is required and many sections will not pass through doorways. Please advise us in advance if there are any difficulties regarding access.

Always make allowance for any roof overhang when buildings have to go into confined spaces.

All of our non-painted redwood and cedar buildings are treated with a good quality preservative on the inside, as well as the outside, prior to leaving the factory. We recommend that you preserve your building on an annual basis to maintain the appearance and lifespan of your building.

All redwood and cedar buildings have redwood roofs and floors. Cedar buildings have cedar windows, doors and external cladding only i.e. they have redwood framing, floors, roofs and verandahs.

Ironmongery is black as standard unless otherwise stated.

All roofs are protected with a layer of heavy duty polyester mineral felt unless otherwise stated, available in a choice of three colours.

All building dimensions shown in this brochure are approximate, based on floor sizes.

All timber used in the construction of our buildings originates from sustainable forests.

As it is our policy to continually improve products, methods and materials, we reserve the right to change specifications from time to time, we will not make any significant variations without your agreement.

#### **Colours available:**



The swatches above are for illustration purposes only as the printing process may not allow an accurate colour representation of paint or stain based finishes. We advise when selecting a final colour choice to request a painted timber sample prior to doing so.



### Other ranges available...









**Traditional Summerhouses** 

**Garden Studios** 

Contemporary Garden Rooms

Cottage Range of Cedar Buildings



### QUALITY GARDEN BUILDINGS

Manufactured and installed by The Malvern Collection Limited. All prices include VAT and delivery to mainland England, Wales and Scotland\* up to the Caledonian Canal.

\*Restrictions may apply.