

SHEDS AND WORKSHOPS

HANDMADE IN WORCESTERSHIRE FOR OVER 45 YEARS









Bewdley Apex	page 4 - 5
Bewdley Pent	page 4 - 5
Bewdley Corner	page 4 - 5
Tidystore	page 6 - 7
Logstore	page 6 - 7
Log Tidystore	page 6 - 7
Solar	page 6 - 7
Malvern Heavy Duty Apex	page 8 - 11
Malvern Heavy Duty Reverse Apex	page 12 - 15
Malvern Heavy Duty Pent Solar	page 16 - 17
Specifications	page 18 - 19

The Malvern Collection...

Making the most of the space in your garden

Welcome to The Malvern Collection Award winning handmade quality garden buildings for over 45 years

In the early 1970s, we started to design and produce garden buildings at our factory in Worcestershire. All of our buildings are made to order and handcrafted using traditional carpentry techniques by skilled craftsmen, which are then delivered and installed by our own teams of experienced fitters across the country.

The Malvern Collection design and make a wide collection of buildings, from the humble shed right through to fully lined, insulated and double glazed garden rooms and offices designed for all year round use.

We offer a wide selection of optional extras which enable you to create your ideal garden room to meet not only your practical needs but also your own personal taste.

Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry, where buildings can be coated with a highly durable and weather resistant, low maintenance paint and primer system, which will protect and enhance your building.

At Malvern, we use only the highest quality materials from sustainable sources. Our redwood buildings are constructed using kiln dried slow grown pine from Sweden's Northern sawmills and our cedar buildings are constructed using Canadian Western Red kiln dried cedar.

We strongly recommend that you visit one of our display sites, where you can examine for yourself the quality, design and materials used in the manufacture of our buildings. Experienced staff will be on hand to discuss your individual requirements.

Thank you for taking the time to look through our brochure.











Standard Features

- 13mm redwood cladding
- All ridge heights under 2.5m
- Single door
- Fixed windows (quantity dependant on size and model)
- Lockable rimlock and handle door catch
- 3 door hinges per door for extra strength
- Turn button top and bottom of door
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- High quality timber treatment applied throughout prior to delivery (redwood models only)
- A wide range of sizes to choose from






- 13mm pressure treated redwood cladding
- Toughened glass
- Black or red polyester mineral felt
- Double doors on 8' wide models and above (excluding corner shed)
- · Opening windows in lieu of fixed
- Mezzanine Level 2'6" (0.76m) deep for high level storage (Apex only)
- Pent sheds have four possible door positions: Left of front, right of front, left hand end and right hand end
- · Workbenches and shelves
- A set of pressure treated floor bearers

Bewdley Apex


Size d x w	Redwood	Pressure Treated	Toughened Glass	Floor Bearers	Installation	No. of Windows
4' x 4'	490	560	45	65	105	1
6' x 4'	615	720	45	70	115	1
8' x 4'	715	830	45	85	120	1
7' x 5'	740	850	45	85	120	1
6' x 6'	740	850	45	95	120	1
8' x 6'	845	975	45	100	125	1
10' x 6'	1,040	1,200	65	105	150	2
8' x 8'	1,080	1,250	45	115	155	1
10' x 8'	1,350	1,555	65	120	185	2
12' x 8'	1,540	1,770	65	140	220	2



Width	Ridge Height	Eaves Height
4' (1.22m)	2.05m	1.73m
5' (1.52m)	2.12m	1.73m
6' (1.83m)	2.19m	1.73m
8' (2.44m)	2.31m	1.73m
Cinala Dana	4' wide	0.66m wide
Single Door	0.89m wide	
Optional Double	1.20m wide	

Bewdley Pent


Size w x d	Redwood	Pressure Treated	Toughened Glass	Floor Bearers	Installation
6' x 4'	660	760	45	70	115
8' x 4'	765	865	45	85	120
7' x 5'	775	895	45	85	120
8' x 6'	860	985	45	100	125
10' x 6'	1,105	1,280	45	105	150
8' x 8'	1,135	1,320	45	115	155
10' x 8'	1,405	1,610	45	120	185
12' x 8'	1,600	1,850	45	140	220



Width	Front Height	Rear Height	
4' (1.22m)	2.12m	1.86m	
5' (1.52m)	2.12m	1.86m	
6' (1.83m)	2.12m	1.86m	
8' (2.44m)	2.21m	1.86m	
Single Door	6' wide	0.66m wide	
Ciligio Dool	Other widths	0.89m wide	

Bewdley Corner

Size w x d	Redwoo	od	-	ressure Treated	Toughened Glass	Floor	Bearers	Instal	lation
7' x 7'	1,155		1,330		65	110		125	
8' x 8'	1,350		1,555		65	115		155	
Extra Fixed Window	Redwood Pressure Treated	3:		Opening window in lieu of fixed	Redwood Pressure Treated	70 75	Double upgrade 8' wide model	on	115
				4'	5'		6'	8	3'
Mezzanine Shelf				140	170	2	200	25	55



9" Wide Shelf 15" Wide Workbench 24" Wide Workbench

Front Height	Rear Height
2.29m	1.86m
Single Door	0.89m wide
£18 per running ft £20 per running ft £24 per running ft	









Tidystore, Logstore and Log Tidystore Features

- 13mm pressure treated redwood cladding (Tidystore is also available in Redwood)
- Tongue & groove timber roof and floor
- Green polyester mineral felt
- Double doors on the 6' wide Tidystore and single door on the two other Tidystores
- Padbolt door catch on the Tidystore
- Slatted floor and sides on the Logstore to aid ventilation
- Combination of the Logstore and the Tidystore to create the Log Tidystore

Options

- Pressure treated slatted roof
- Black or red polyester mineral felt
- Pressure treated floor bearers

Solar Features

- · Heavy duty framework throughout
- Heavy duty floor
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- · Fully framed, ledged and braced door
- 3 heavy duty hinges per door
- · Heavy duty staging under windows
- One opening vent window to the front
- Side windows
- 4mm toughened glass
- Black ironmongery
- Front roof overhang
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- · Six sizes to choose from

- A choice of heavy duty redwood, heavy duty pressure treated or 12mm cedar
- Black or red polyester mineral felt
- Chrome style ironmongery
- Stable door
- A set of pressure treated floor bearers

Tidystore

Size w x d	Redwood	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' x 3'	425	490	115	45	50
4' x 3'	510	595	140	55	70
6' x 3'	640	735	195	60	100

Logstore

Size w x d	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' x 3'	390	115	45	40
4' x 3'	450	140	55	50
6' x 3'	595	195	60	65

Log Tidystore


Size w x d	Pressure Treated	Pressure Treated Slatted Roof	Floor Bearers	Installation
3' Log x 3' Tidy x 3'	765	195	60	80
3' Log x 6' Tidy x 3'	1,025	295	95	105
6' Log x 3' Tidy x 3'	985	295	95	105
6' Log x 6' Tidy x 3'	1,205	375	120	115

Solar


Size w x d	Redwood	Pressure Treated	Cedar	Floor Bearers	Installation
6' x 6'	2,325	2,665	3,480	100	150
8' x 6'	2,570	2,960	3,840	105	165
7' x 7'	2,630	3,020	3,920	110	165
8' x 7'	2,855	3,255	4,230	110	175
8' x 8'	3,065	3,505	4,465	115	185
10' x 8'	3,675	4,215	5,285	120	280

Solar Options

	Redwood	Pressure Treated	Cedar				
Additional Opening Window	130	135	180				
9" Wide Shelf	£18 per running ft						
15" Wide Workbench	£20 per running ft						
24" Wide Workbench		£24 per running ft					



Tidystore Single Door	0.62m
Tidystore Double Doors	1.22m
Front Height	Rear Height
1.79m	1.52m



Solar Single Door	0.89m wide
Front Height	Rear Height
2.29m	1.98m
















Standard Features

- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Single glazed 4mm toughened glass
- Black ironmongery
- Roof overhang above doors
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- A choice of heavy duty redwood, heavy duty pressure treated or 12mm cedar
- Higher pitch roof
- Coloured painted finish wide selection of colours
- Black or red polyester mineral felt
- Bitumen mineral roof felt tiles, available in green, red or black
- Onduline roof
- Pressure treated slatted roof
- Slate effect roof tiles
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Double glazing
- Mezzanine Level 2'6" (0.76m) deep for high level storage
- Tongue and groove timber lining plus insulation
- Georgian style windows
- Chrome style ironmongery
- Additional 3ft Logstore to side
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- Heavy duty workbenches and shelves
- Double door upgrade
- No roof overhang over doors



		Externa	I	Internal (unlined)				
Width	Ric	lge	Eaves	Ric	Eaves			
	Low	High	Laves	Low	High	Eaves		
6' (1.83m)	2.33m	2.51m		2.20m	2.43m			
8' (2.44m)	2.41m	2.65m	0.04	2.29m	2.57m	0.00		
10' (3.05m)	2.43m	2.79m	2.04m	2.29m	2.71m	2.02m		
12' (3.66m)	2.49m	2.94m		2.35m	2.85m			

Malvern Heavy Duty Apex

Size d x w	Redwood	Pressure Treated	Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	Bitumen Felt Roof Tiles	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Double Glazing	Floor Bearers	Installation
6' x 4'	1,365	1,500	1,500	2,315	955	915	240	260	280	460	620	695	85	70	125
7' x 5'	1,625	1,790	1,790	2,760	1,115	1,115	350	375	410	665	895	1,005	85	85	140
4' x 6'	1,385	1,525	1,525	2,345	955	915	240	260	300	465	650	730	85	80	155
6' x 6'	1,660	1,825	1,825	2,855	1,130	1,130	350	375	430	685	955	1,075	85	95	170
8' x 6'	1,955	2,150	2,150	3,505	1,285	1,330	460	495	550	915	1,260	1,415	170	100	180
10' x 6'	2,455	2,700	2,700	4,160	1,450	1,560	575	620	670	1,155	1,565	1,760	170	105	205
12' x 6'	2,820	3,100	3,100	4,680	1,610	1,800	700	755	800	1,385	1,870	2,100	255	110	215
4' x 8'	1,715	1,885	1,885	3,085	1,165	1,160	350	375	430	705	1,020	1,145	85	95	195
6' x 8'	2,125	2,340	2,340	3,685	1,330	1,390	475	510	550	915	1,260	1,415	85	105	225
8' x 8'	2,575	2,835	2,835	4,330	1,490	1,600	595	640	660	1,115	1,495	1,680	170	115	250
10' x 8'	3,065	3,370	3,370	5,010	1,650	1,850	730	785	800	1,410	1,865	2,095	170	120	275
12' x 8'	3,535	3,890	3,890	5,700	1,820	2,075	865	930	930	1,660	2,235	2,510	255	140	295
14' x 8'	3,930	4,325	4,325	6,310	1,975	2,320	995	1,070	1,085	1,930	2,595	2,915	340	165	325
16' x 8'	4,390	4,830	4,830	7,095	2,125	2,570	1,115	1,200	1,275	2,190	2,960	3,325	340	180	350
10' x 10'	3,810	4,190	4,190	5,820	1,900	2,130	860	925	930	1,630	2,175	2,445	170	165	400
12' x 10'	4,355	4,790	4,790	6,640	2,025	2,380	1,020	1,095	1,115	1,975	2,600	2,885	255	180	430
14' x 10'	4,860	5,345	5,345	7,460	2,190	2,765	1,180	1,270	1,275	2,170	3,030	3,365	340	200	470
16' x 10'	5,395	5,935	5,935	8,280	2,360	2,890	1,350	1,450	1,465	2,510	3,455	3,835	340	220	525
18' x 10'	5,965	6,560	6,560	9,065	2,605	3,110	1,520	1,635	1,645	2,825	3,880	4,305	340	235	565
12' x 12'	4,995	5,495	5,495	7,645	2,225	2,765	1,165	1,250	1,275	2,170	2,980	3,350	255	210	465
14' x 12'	5,595	6,155	6,155	8,520	2,405	2,925	1,390	1,490	1,490	2,530	3,470	3,815	340	230	495
16' x 12'	6,185	6,805	6,805	9,430	2,605	3,235	1,580	1,695	1,715	2,855	3,960	4,355	340	260	555
18' x 12'	6,730	7,405	7,405	10,330	2,800	3,510	1,750	1,880	1,975	3,195	4,455	4,900	340	280	585
20' x 12'	7,375	8,115	8,115	11,160	2,885	3,765	1,940	2,085	2,190	3,565	4,945	5,440	340	300	635

[•] FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

Malvern Heavy Duty Apex Shed Door Options

		Redwo	od	Pressure Treated/ Barnstyle				Cedar		
Single Malvern Door or Double Door in lieu of single	285		330			430				
Additional Window	in Doo	r		Si	Single Glazed			Double Glazed		
Standard Redwood					95			180		
Standard Pressure Treated					100			185		
Standard Cedar		145			230					
Georgian Redwood	185			335						
Georgian Pressure Treated		190 340								
Georgian Cedar				265 415						
Stable Door Conversion in lieu of stan	ndard			125						
Hook & Band Hinges				45 per door						
Security Pack for Doors				165						
Malvern Apex Depth	4'	6'	8'	10'	12'	14'	16'	18'	20'	
Georgian Single Glazed Windows	120	120	240	240	360	480	480	480	480	
Georgian Double Glazed Windows	315	315	630	630	945	1,260	1,260	1,260	1,260	
Additional 3' Logstore	290	375	480	580	675	760	870	980	1,085	

Malvern Heavy Duty Apex Window Options

Additional Window	Fix	red	Opening					
Additional Willdow	Single Glazed	Double Glazed	Single Glazed	Double Glazed				
Standard Redwood	95	180	130	215				
Standard Pressure Treated	100	185	135	220				
Standard Cedar	145	230	180	265				
Georgian Redwood	185	335	220	370				
Georgian Pressure Treated	190	340	225	375				
Georgian Cedar	265	415	300	450				
Other Options	6'	8'	10'	12'				
Redwood Partition	230	320	480	605				
Pressure Treated Partition	280	390	580	740				
Cedar Partition	535	740	1025	1290				
Mezzanine Shelf	200	255	315	375				
9" Wide Shelf		£18 per r	unning ft					
15" Wide Workbench	£20 per running ft							
24" Wide Workbench	£24 per running ft							
Guttering per side		£15 per r	unning ft					














Standard Features

- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional diagonal framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Single glazed 4mm toughened glass
- Black ironmongery
- Roof overhang above doors
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- A choice of heavy duty redwood, heavy duty pressure treated or 12mm cedar
- Higher pitch roof
- Coloured painted finish wide selection of colours
- Black or red polyester mineral felt
- Bitumen mineral roof felt tiles, available in green, red or black
- Onduline roof
- · Pressure treated slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Slate effect roof tiles
- Double glazing
- Mezzanine Level 2'6" (0.76m) deep for high level storage
- Tongue and groove timber lining plus insulation
- Georgian style windows
- Chrome style ironmongery
- Integral Tidystore, 3ft wide unless specified otherwise
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- Heavy duty workbenches and shelves
- Double door upgrade



		Externa	I	Inte	ined)		
Width	Ric	lge	Eaves	Rid	Eaves		
	Low	High	Eaves	Low	High	Eaves	
6' (1.83m)	2.33m	2.51m		2.20m	2.43m		
8' (2.44m)	2.41m	2.69m	0.04	2.29m	2.57m	2.02m	
10' (3.05m)	2.43m	2.79m	2.04m	2.29m	2.71m		
12' (3.66m)	2.49m	2.94m		2.35m	2.85m		

Malvern Heavy Duty Reverse Apex

Size d x w	Redwood	Pressure Treated	Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	Bitumen Felt Roof Tiles	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Double Glazing	Floor Bearers	Installation
8' x 6'	1,860	2,045	2,045	3,360	1,285	1,330	460	495	550	915	1,260	1,415	85	100	180
10' x 6'	2,455	2,700	2,700	4,160	1,450	1,560	575	620	670	1,155	1,565	1,760	170	105	205
12' x 6'	2,725	2,995	2,995	4,535	1,610	1,800	700	755	800	1,385	1,870	2,100	170	110	215
14' x 6'	3,085	3,395	3,395	5,015	1,795	1,995	800	860	930	1,610	2,175	2,440	255	115	240
16' x 6'	3,445	3,790	3,790	5,500	1,990	2,205	930	995	1,075	1,825	2,480	2,785	255	120	260
10' x 8'	3,065	3,370	3,370	5,010	1,650	1,850	730	785	800	1,410	1,865	2,095	170	120	275
12' x 8'	3,440	3,785	3,785	5,555	1,820	2,075	865	930	930	1,660	2,235	2,510	255	140	295
14' x 8'	3,835	4,220	4,220	6,165	1,975	2,320	995	1,070	1,085	1,930	2,595	2,915	255	165	325
16' x 8'	4,295	4,725	4,725	6,950	2,125	2,570	1,115	1,200	1,275	2,190	2,960	3,325	255	180	350
18' x 8'	4,730	5,205	5,205	7,500	2,300	2,790	1,290	1,385	1,450	2,480	3,325	3,730	255	200	375
20' x 8'	5,160	5,675	5,675	8,050	2,475	3,020	1,425	1,530	1,540	2,760	3,685	4,140	255	220	405
10' x 10'	3,810	4,190	4,190	5,820	1,900	2,130	860	925	930	1,630	2,175	2,445	170	165	400
12' x 10'	4,260	4,685	4,685	6,495	2,025	2,380	1,020	1,095	1,115	1,975	2,600	2,885	255	180	430
14' x 10'	4,765	5,240	5,240	7,315	2,190	2,765	1,180	1,270	1,275	2,170	3,030	3,365	255	200	470
16' x 10'	5,300	5,830	5,830	8,135	2,360	2,890	1,350	1,450	1,465	2,510	3,455	3,835	255	220	525
18' x 10'	5,870	6,455	6,455	8,920	2,605	3,110	1,520	1,635	1,645	2,825	3,880	4,305	255	235	565
20' x 10'	6,400	7,040	7,040	9,700	2,800	3,295	1,680	1,805	1,825	3,125	4,305	4,780	255	260	615
12' x 12'	4,900	5,390	5,390	7,500	2,225	2,765	1,165	1,250	1,275	2,170	2,980	3,350	170	210	465
14' x 12'	5,500	6,050	6,050	8,375	2,405	2,925	1,390	1,490	1,490	2,530	3,470	3,815	255	230	495
16' x 12'	6,090	6,695	6,695	9,285	2,605	3,235	1,580	1,695	1,715	2,855	3,960	4,355	255	260	555
18' x 12'	6,635	7,295	7,295	10,185	2,800	3,510	1,750	1,880	1,975	3,195	4,455	4,900	255	280	585
20' x 12'	7,280	8,010	8,010	11,015	2,885	3,765	1,940	2,085	2,190	3,565	4,945	5,440	255	300	635

[•] FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

			Redwo	ood	Pressure Ti	reated/B	arnstyle	Cedar
Single Malvern Door or Double Door	in lieu of si	ingle	285			330		430
Additional Window in Door					Single Glazed Double Glazed			
Standard Redwood					95 180			0
Standard Pressure Treated					100		18	5
Standard Cedar					145		23	0
Georgian Redwood					185		33	5
Georgian Pressure Treated					190 34			0
Georgian Cedar					265 415			5
Stable Door Conversion in lieu of standard						125		
Hook & Band Hinges				45 per door				
Security Pack for Doors				165				
Malvern Apex Reverse Width	8'	10'		12'	14'	16'	18'	20'
Georgian Single Glazed Windows	120	240		240	360	360	360	360
Georgian Double Glazed Windows	315	630		630	945	945	945	945
Malvern Apex Reverse Depth					6'	8'	10'	12'
	Redwood	d			200	265	330	385
Additional Tidystore	Pressure	Treated	d/Barns	style	235	310	385	445
	Cedar				530	715	925	1,085

Malvern Heavy Duty Reverse Apex Door Options Malvern Heavy Duty Reverse Apex Window Options

Additional Window	Fix	red	Opening					
Additional Willdow	Single Glazed	Double Glazed	Single Glazed	Double Glazed				
Standard Redwood	95	180	130	215				
Standard Pressure Treated	100	185	135	220				
Standard Cedar	145	230	180	265				
Georgian Redwood	185	335	220	370				
Georgian Pressure Treated	190	340	225	375				
Georgian Cedar	265	415	300	450				
Other Options	6'	8'	10'	12'				
Redwood Partition	230	320	480	605				
Pressure Treated Partition	280	390	580	740				
Cedar Partition	535	740	1025	1290				
Mezzanine Shelf	200	255	315	375				
9" Wide Shelf		£18 per r	unning ft					
15" Wide Workbench	£20 per running ft							
24" Wide Workbench	£24 per running ft							
Guttering per side		£15 per r	unning ft					



10' x 6' Malvem Heavy Duty Pent



Standard Features

- Front height under 2.5m
- Heavy duty framework throughout
- · Additional diagonal framework for extra rigidity and strength
- · Heavy duty floor
- Pressure treated floor joists
- Tongue & groove timber roof and floor
- Green polyester mineral felt
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws fitted to hinges
- Single glazed 4mm toughened glass
- Black ironmongery
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

- A choice of heavy duty redwood, heavy duty pressure treated or 12mm cedar
- Coloured painted finish wide selection of colours
- Heavy duty black or red polyester mineral felt
- EPDM rubber roof
- Tongue and groove lining plus insulation
- Georgian style windows
- Double glazing
- Chrome style ironmongery
- Integral Tidystore conversion
- · Hook and band hinges
- · Security pack including 6 pin lock and security screws
- Guttering and downpipe in a choice of three colours
- · Heavy duty workbenches and shelves
- Double door upgrade



Depth	Front Height	Rear Height				
6' (1.83m)	2.22m	2.02m				
8' (2.44m)	2.22m	2.02m				
10' (3.05m)	2.24m	2.04m				
Single Door	0.89m wide					

Malvern Heavy Duty Pent

Size w x d	Redwood	Pressure Treated	Barnstyle	12mm Cedar	Coloured Painted Finish	Tongue & Grooved Lining & Insulation	EPDM Rubber Roof	Double Glazing	Floor Bearers	Installation
8' x 6'	1,860	2,045	2,045	3,360	1,285	1,330	295	85	100	180
10' x 6'	2,455	2,700	2,700	4,160	1,450	1,560	365	170	105	205
12' x 6'	2,725	2,995	2,995	4,535	1,610	1,800	430	170	110	215
10' x 8'	3,065	3,370	3,370	5,010	1,650	1,850	485	170	120	275
12' x 8'	3,440	3,785	3,785	5,555	1,820	2,075	580	255	140	295
14' x 8'	3,835	4,220	4,220	6,165	1,975	2,320	675	255	165	325
16' x 8'	4,295	4,725	4,725	6,950	2,125	2,570	775	255	180	350
10' x 10'	3,810	4,190	4,190	5,820	1,900	2,130	605	170	165	400
12' x 10'	4,260	4,685	4,685	6,495	2,025	2,380	725	255	180	430
14' x 10'	4,765	5,240	5,240	7,315	2,190	2,765	845	255	200	470
16' x 10'	5,300	5,830	5,830	8,135	2,360	2,890	965	255	220	525

Malvern Heavy Duty Pent Options

	Redwo	ood	Pressure Treated/ Barnstyle		ed/	Cedar		
Single Malvern Door or Double Door in lieu of single	285			330		430		
Additional Window in Door				Single Glazed Double Glazed				
Standard Redwood			95			180		
Standard Pressure Treated				100		185		
Standard Cedar				145			230	
Georgian Redwood				185		335		
Georgian Pressure Treated				190		340		
Georgian Cedar				265 418		415		
Stable Door Conversion in lieu of standard				125				
Hook & Band Hinges				45 per door				
Security Pack for Doors				165				
Malvern Pent Width 8' 10'		10'		12'	14	1	16'	
Georgian Single Glazed Windows	120	240		240	360)	360	
Georgian Double Glazed Windows 315 6				630	945	5	945	
Malvern Pent Depth				6'	8'	10'	12'	
	Redwood			200	265	330	385	
Additional Tidystore	Pressure Treated/Barnstyle		tyle	235	310	385	445	
	Cedar			530	715	925	1,085	

Malvern Heavy Duty Pent Window Options

Additional Window	Fix	red	Opening			
Additional Willdow	Single Glazed	Double Glazed	Single Glazed	Double Glazed		
Standard Redwood	95	180	130	215		
Standard Pressure Treated	100	185	135	220		
Standard Cedar	145	230	180	265		
Georgian Redwood	185	335	220	370		
Georgian Pressure Treated	190	340	225	375		
Georgian Cedar	265	415	300	450		
Other Options	61	8	31	10'		
Redwood Partition	230	32	20	480		
Pressure Treated Partition	280		90	580		
Cedar Partition	535	74	40	1025		
Mezzanine Shelf	200	25	55	315		
9" Wide Shelf	£18 per running ft					
15" Wide Workbench	£20 per running ft					
24" Wide Workbench	£24 per running ft					
Guttering per side	£15 per running ft					

Options available

Coloured Painted Finish (Stanford & Holt only)

A comprehensive paint system is applied prior to the building leaving the factory. The paint system comprises of an initial undercoat and a further top coat of your chosen colour.

Higher Pitch Roof

For those that require extra internal height.

Tongue & Groove lining and insulation

Building is internally lined with foil back bubble insulation and covered with redwood tongue and groove matchboard.

Bitumen Felt Tiles

Roof is covered with tile effect heavy duty felt tiles.

Onduline Roof

Roof is covered with onduline corrugated sheets with roofing felt underneath.

EPDM Rubber Roof

A maintenance free synthetic rubber membrane covering the roof as an alternative to roofing felt.

Slatted Roof

An aesthetic roof made with featheredged pressure treated redwood or Western Red cedar boards to enhance the appearance of your building and provide added protection to the roofing felt beneath.

Shingle Roof

Western Red cedar shingles fixed to pressure treated joists to enhance the appearance of your building and provide added protection to the roofing felt beneath.

Slate Effect Roof Tile

Slate effect is a synthetic roof tile which emulates the appearance of natural slates and has a long life span with no maintenance required.

Mezzanine

The optional upgrade of the Mezzanine Level, is a high level storage area of 2'6" (0.76m) deep, width dependant on size of shed. It can be used for storage or other purposes, easily accessible and is an area in the roof which is usually not utilised, making the most of the space.

Guttering

Guttering is available in a choice of three colours.

Integral Open Sided Area (Stanford & Holt only)

Please note when working out the price for this option, use the overall building size including the open area.

Solar	Metric (m)
Door Opening	0.89 x 1.75
Redwood & Pressure Treated Heavy Duty Cladding	19
Cedar Cladding	12
Framing	44

Malvern Heavy Duty and Solar Floor Thickness	Metric (mm)
Heavy Duty	19
Floor Joists	44

Malvern Heavy Duty Door Openings (w x h)	Metric (m)
Apex (door in end)	0.89 x 1.85
Reverse Apex and Pent Door	0.89 x 1.75
Apex 6' Double Doors	1.77 x 1.85
Apex 4'6" Double Doors	1.37 x 1.85
Reverse Apex and Pent 6' Double Doors	1.77 x 1.75
Reverse Apex and Pent 4'6" Double Doors	1.37 x 1.75

Malvern Heavy Duty Wall Thickness	Metric (mm)
Redwood & Pressure Treated Heavy Duty Cladding	19
Barnstyle Cladding	8-23
Cedar Cladding	12
Framing	44
Matchboard Lining	12

Important Points to note:

All of our Garden Rooms come with a guarantee against rot and decay. Ten years for cedar, three years for pressure treated redwood and two years for redwood. All other workmanship and materials are guaranteed to be free from defects and faulty installation for a period of 12 months. All of our guarantees are subject to the buildings being maintained in line with our recommendations.

We would like to remind customers that timber is an organic product, subject to naturally occurring changes that result from different environmental conditions i.e. changes in colour, surface splits and shrinkage. We cannot accept responsibility for these natural changes.

All base work is the responsibility of the customer, as is the safe securing of the building once installed. We require a level solid base, either paving slabs, decking or concrete upon which to install your building. In the event of a base failure, it is the customers responsibility to accept delivery of the building and store appropriately.

Please allow as much room as possible around the building for our fitters to work during installation, a minimum of 18". If this is not possible please contact the office to discuss.

Our installers will need clear access to carry building sections from the vehicle to your prepared base, with no height restrictions or tight, sharp corners to negotiate.

Our installers cannot lift sections over 4' in height or over buildings such as garages. If the only access is through the house, a straight run is required and many sections will not pass through doorways. Please advise us in advance if there are any difficulties regarding access.

Always make allowance for any roof overhang when buildings have to go into confined spaces.

All of our non-painted redwood and cedar buildings are treated with a good quality preservative on the inside, as well as the outside, prior to leaving the factory. We recommend that you preserve your building on an annual basis to maintain the appearance and lifespan of your building.

All redwood and cedar buildings have redwood roofs and floors. Cedar buildings have cedar windows, doors and external cladding only i.e. they have redwood framing, floors, roofs and verandahs.

Ironmongery is black as standard unless otherwise stated.

All roofs are protected with a layer of heavy duty polyester mineral felt unless otherwise stated, available in a choice of three colours.

All building dimensions shown in this brochure are approximate, based on floor sizes.

All timber used in the construction of our buildings originates from sustainable forests.

As it is our policy to continually improve products, methods and materials, we reserve the right to change specifications from time to time, we will not make any significant variations without your agreement.

Colours available:



The swatches above are for illustration purposes only as the printing process may not allow an accurate colour representation of paint or stain based finishes. We advise when selecting a final colour choice to request a painted timber sample prior to doing so.



Other ranges available...









Traditional Summerhouses

Garden Studios

Contemporary Garden Rooms

Cottage Range of Cedar Buildings



QUALITY GARDEN BUILDINGS

Manufactured and installed by The Malvern Collection Limited. All prices include delivery (mainland England & Wales) and VAT.